

## Bonine Drug Facts

<b>Drug Facts</b>	
<b>Active ingredient (in each tablet)</b>	<b>Purpose</b>
Meclizine HCL 23 mg .....	Antiemetic
<b>Uses</b> prevents and treats nausea, vomiting or dizziness associated with motion sickness	
<b>Warnings</b>	
<b>Do not use</b> in children under 12 years of age unless directed by a doctor	
<b>Do not take this product, unless directed by a doctor, if you have</b> •glaucoma •trouble urinating due to an enlarged prostate gland •a breathing problem such as emphysema or chronic bronchitis	
<b>Do not take this product if you are</b> taking sedatives or tranquilizers, without first consulting your doctor.	
<b>When using this product</b> •do not exceed recommended dosage •you may get drowsy •alcohol, sedatives, and tranquilizers may increase drowsiness •avoid alcoholic drinks •be careful when driving a motor vehicle or operating machinery	
<b>If pregnant or breast feeding</b> , ask a health professional before use. <b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a poison control Center right away 1 (800) 222-1222	
<b>Directions</b> •dosage should be taken 1 hour before travel starts •adults and children 12 years of age and over: take 1 to 2 tablets once daily or as directed by a doctor	
<b>Other information</b> store at room temperature 20°-25°C (68°-77°F)	
<b>Inactive ingredients</b> croscarmellose sodium, crospovidone, FD&C red #40 lake, lactose, magnesium stearate, raspberry flavor, silica, sodium saccharin, stearic acid, vanilla flavor	
<b>Questions?</b> Toll-free (844) 241-5454 or <a href="http://www.bonine.com">www.bonine.com</a> -Money Back Guarantee	